UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/528,054	03/17/2005	Jun Konishi	Q72079	7044
23373 SUGHRUE MI	7590 01/16/200 ION PLLC	EXAMINER		
2100 PENNSYLVANIA AVENUE, N.W. SUITE 800 WASHINGTON, DC 20037			CHOI, LING SIU	
			ART UNIT	PAPER NUMBER
	,		1713	
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MO	NTHS	01/16/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			,
	Application No.	Applicant(s)	
	10/528,054	KONISHI ET AL.	
Office Action Summary	Examiner	Art Unit	
	Ling-Siu Choi	1713	
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence addre	ss
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING [- Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDON	N. mely filed in the mailing date of this comm ED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 12	<u>May 2006</u> .		•
2a) This action is FINAL . 2b) ☐ Th	is action is non-final.		
3) Since this application is in condition for allow			erits is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.	
Disposition of Claims			
4) ⊠ Claim(s) <u>1-19</u> is/are pending in the applicatio 4a) Of the above claim(s) <u>11-19</u> is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1 and 3-10</u> is/are rejected. 7) □ Claim(s) <u>2</u> is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			,
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examination is objected.	cepted or b) objected to by the edrawing(s) be held in abeyance. Section is required if the drawing(s) is old	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1	
Priority under 35 U.S.C. § 119			
a) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Applicatority documents have been received (PCT Rule 17.2(a)).	tion No red in this National Sta	ge
Attachment(s)			
1) X Notice of References Cited (PTO-892)	4) Interview Summar		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 3/17/2005, 9/8/2006.	Paper No(s)/Mail D 5) Notice of Informal 6) Other:	Date	

DETAILED ACTION

Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claims 1-10, drawn to a process to produce a chlorinated polyolefin (claims 1-6) and a chlorinated polyolefin (claims 7-10).

Group II, claims 11-19, drawn to a chlorinated polyolefin crosslinkable composition (claims 11-15) and articles (claims 16-19).

- 2. The inventions listed as Groups I and II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: there is no common inventive feature among these two groups because the chlorinated polyolefins cited in Group I and II are different.
- 3. During a telephone conversation with Mr. Bruce E. Kramer on Dember 27, 2006, a provisional election was made <u>without traverse</u> to prosecute the invention of Group I, claims 1-10. Affirmation of this election must be made by applicant in replying to this

Application/Control Number: 10/528,054 Page 3

Art Unit: 1713

Office action. Claims 11-19 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Claim Analysis

5. Summary of Claim 1:

Αr	process to produce a chlorinated polyolefin comprising the steps of		
Α	melt and kneading a polyolefin and then molding it to obtain a solid		
В	pulverizing the solid into powder having a mean particle size of no greater than		
	500 μm		
С	chlorinating the powder		

Art Unit: 1713

Summary of Claim 2:

A process to produce a chlorinated polyolefin according to claim 1, wherein the				
chlorinating step further comprises				
first step	chlorination at above the <u>crystal melting start temperature</u> and			
	more than 10°C below the <u>crystal melting peak temperature</u> of the			
	polyolefin starting material as determined by DSC			
second step	interrupting the chlorine supply and performing heat treatment			
	by heating to a temperature which is higher than 5°C below			
	the <u>crystal melting peak temperature</u>			
third step	rechlorination at a temperature above the crystal melting start			
	temperature of the chlorinated polyolefin after the heat treatment step			

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1, 3, 7-8, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jones et al. (US 4,767,823) in view of Yasugata (JP 05-009332).

Jones et al. disclose a process to chlorinate polyethylene having a weight-based median particle size of from about 120 to about 600 microns, wherein the chemically combined chlorine content is from 15 to about 28 wt% (abstract). Attention is drawn to

Art Unit: 1713

Table VI, wherein the Samples 3, 4, and 5 have the chlorine content of 21.4, 23.7, and 26.2 wt% respectively and the heat of fusion of 1.13, 2.59, and 0.09 cal/g (1 J = 0.2390 cal) respectively.

The difference between the present claim and the disclosure of Jones et al. is the requirement of a step of melting and kneading polyolefin and then molding it to obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

8. Claims 1, 3, and 10 rejected under 35 U.S.C. 103(a) as being unpatentable over Aystetten et al. (US 3,856,766) in view of Yasugata (JP 05-009332).

Aystetten et al. disclose a process to make a light colored thermostable chloropolyolefin by chlorinating pulverulent polyethylene, polypropylene, or a copolymer of ethylene with a straight chain or branched α -olefin with gaseous chlorine, wherein the particle size of the pulverulent polymer is in the range of from about 40 to 500 micron and these polymers are produced by high pressure, medium pressure or low pressure

Art Unit: 1713

polymerization process (abstract; col. 1, lines 61-63). Attention is drawn to Table, wherein the amounts of chlorine are 36.7 wt% (Example 1) and 41.9 wt% (Example 2).

The difference between the present claims and the disclosure of Aystetten et al. is the requirement of a step of melting and kneading polyolefin and then molding it to obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

9. Claims 1, 3, and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rifi (US 4,593,075) in view of Yasugata (JP 05-009332).

Rifi discloses a process to modify ethylene polymers by reacting granular ethylene polymers having a density of about 0.87 to about 0.92 g/ccwith a gaseous chlorinating agent to produce the chlorinated polymers, wherein the particle size of the granular ethylene is exemplified to be 500 or 400 microns (abstract; col. 4, line 14 [A or B]).

The difference between the present claims and the disclosure of Rifi is the

Art Unit: 1713

requirement of a step of melting and kneading polyolefin and then molding it to obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

10. Claims 1, 3-5, and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Benedikt et al. (US 4,473,451) in view of Yasugata (JP 05-009332).

Benedikt et al. disclose a process for chlorination of powdered polyethylene with chlorineat an initial temperature from about 20°C to about 70°C and raising the temperature of the reaction to at least about the crystalline melting point of the polyethylene and continuing the reaction until the polyethylene contains greater than 25-45 wt% bound chlorine, wherein the polyethylene can be <u>low density</u>, high density, linear, or branched and has <u>density from about 0.90 to 0.97</u> the average particle size; the average particle size is preferably 100 microns to less than 600 microns (abstract; col. 2, lines 30-51).

The difference between the present claims and the disclosure of Benedikt et al. is the requirement of a step of melting and kneading polyolefin and then molding it to

Art Unit: 1713

obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

11. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones et al. (US 4,767,823) in view of Yasugata (JP 05-009332).

Jones et al. disclose a chlorinated polyethylene having a weight-based median particle size of from about 120 to about 600 microns, wherein the chemically combined chlorine content is from 15 to about 28 wt% (abstract). Attention is drawn to Table VI, wherein the Samples 3, 4, and 5 have the chlorine content of 21.4, 23.7, and 26.2 wt% respectively and the heat of fusion of 1.13, 2.59, and 0.09 cal/g (1 J = 0.2390 cal) respectively. Since both chlorinated polyolefins have the substantially identical amounts of chlorine and crystal heats of fusion, the chlorinated polyolefin disclosed by Jones et al. would have the claimed elongation and T_g because heat of fusion and amount of chlorine are related to the primary structure of a polymer on which elongation and T_g depend.

Art Unit: 1713

The difference between the present claim and the disclosure of Jones et al. is the requirement of a step of melting and kneading polyolefin and then molding it to obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

12. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jones et al. (US 4,767,823) in view of Yasugata (JP 05-009332).

Jones et al. disclose a process to chlorinate polyethylene having a weight-based median particle size of from about 120 to about 600 microns, wherein the chemically combined chlorine content is from 15 to about 28 wt% (abstract). Jones et al. further disclose that "[p]olyethylene resins ... are beneficially prepared under conditions characteristic of Ziegler polymerization" (col. 3, lines 19-31). It is noted that the use of Ziegler-Natta catalyst leads to a polymer having narrow molecular weight distribution - $\underline{M_w/M_n} = 3 - 7$ [see Dong-ho Lee, Polymeric Materials Encyclopedia, CRC press, vol. 4,734-4740 (1996)].

Page 10

Application/Control Number: 10/528,054

Art Unit: 1713

The difference between the present claim and the disclosure of Jones et al. is the requirement of a step of melting and kneading polyolefin and then molding it to obtain a solid to be adapted in the process to make the chloropolyolefin in the present claims.

Yasugata discloses a process to form a film by (a) kneading and melting a mixture of polyethylene with inorganic fine powder and a specific plasticizer and (b) molding the mixture into the sheetlike shape, wherein the film read on a solid (abstract). By this process, the solid formed from the polymer would contain the required components for the desired application [motivation]. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to adapt such step because the particle properties can be tailored and thereby obtain the present invention.

13. Claim 2 is objected due to missing the first step. (US 3,856,766).

Aystetten et al. disclose a process to chlorinate a polyethylene having an ultimate melting point of 136°C, comprising subjecting the polyethylene to a heat treatment by heating in a nitrogen to about 122°C and keeping at that temperature for 15 minutes; cooling down the polyethylene; and chlorinating the resulting polyethylene with chlorine at a temperature gradually raised to 137°C (Example 1). However, Aystetten et al. do not teach or fairly suggest a process comprising a step of chlorination at above the crystal melting start temperature and more than 10°C below the crystal melting peak temperature of the polyolefin before the heat treatment.

Art Unit: 1713

Conclusion

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ling-Siu Choi whose telephone number is 571-272-1098.

If attempt to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu, can be reach on 571-272-1114.

LING-SUI CHOI PRIMARY EXAMINER

January 3, 2007